

UNIVERSAL Scaffolding

CATALOG

oring • System Scaffolding • Endlok Scaffolding Frame scaffolding Shor
Shoring • Frame Scaffolding • Shoring • Systems • Systems Scaffolding •
ame Scaffolding • Our strength is your support • Systems Scaffolding • Endl



u UNIVERSAL
MANUFACTURING

UNIVERSAL Scaffolding

universalscaffold.com

Our Strength is Your Support

Universal Manufacturing Corporation has been pioneering high-quality American made, steel scaffolding, shoring and custom fabricated access equipment for more than 80 years. If you are looking for dependable Frame, Shoring, System, Tube & Clamp, Custom, or your current inventory scaffolding, Universal has a cost-effective solution for you.



Universal is committed to designing, producing and delivering the highest quality American-Made scaffolding to our customers around the world — competitively and on time.

A handwritten signature in black ink that reads "R. L. Carbeau". The signature is fluid and cursive, with a long horizontal stroke at the end.

Robert L. Carbeau,
President

Index

Frame Scaffolding 1-12

Universal Unibilt 1-5

Universal Ezebilt 6

Black 7-8

Red 9-10

Master 11-12

System Scaffolding 13-14

Shoring 15

Endlok Scaffolding 16

U UNIVERSAL MANUFACTURING



Your complex projects require precision and the most trusted materials.

Universal Manufacturing provides custom scaffolding solutions using only the latest technologies. Our engineering team dedicate themselves to accuracy and the details necessary to exceed expectations. Cost efficiency, innovative design and safety are standard with all layouts. We are also a full-service engineering team providing all of the R&D and testing your projects require. Universal has consistently achieved the highest standards in manufacturing scaffolding for more than 80 years. When you need trusted results, you need Universal Manufacturing.




Scaffolding • Shoring • System Scaffolding • Endlok Scaffolding Frame
s Scaffolding • Shoring • Frame Scaffolding • Shoring • Systems • Syste
Scaffolding • Frame Scaffolding • Our strength is your support • Systems S



Frame Scaffolding

Universal Line


Unibilt Frames




Easily assembled scaffolding for masonry, maintenance and shoring.

- Fast erection and dismantling
- Durable riveted angle iron braces
- Quick, positive Unilok brace lock
- Large range of available panel sizes and configurations
- High strength steel tubing

Mason Frames



U-305MD



U-505MD

Our extra strong, dependable frame scaffolding provides four plank bearing levels with large open bays to facilitate materials and equipment.

Part I.D.	Product Description	Weight
U-305MD	3' High x 5' Wide Mason Frame	28.00
U-405MD	4' High x 5' Wide Mason Frame	31.00
U-465MD	4' 6" High x 5' Wide Mason Frame	35.00
U-505MD	5' High x 5' Wide Mason Frame	39.00


Walkthru Frames

High quality walkthrough frames for any industry.


Part I.D.	Product Description	Weight
U-663BD	6' 6" High x 3' Wide Narrow Walkthru Panel	47.00
U-665ED	6' 6" High x 5' Wide Walkthru Panel	55.00
U-765AGD	7' 6" High x 5' Wide Mason Walkthru Panel	64.00



U-663BD




U-665ED



U-765AGD

Ladder Frames



L-6-3D

Perfect for doorway passage, with a durable plank bearing member every 12".

Part I.D.	Product Description	Weight
L-4-2D	4' High x 2' Wide Ladder Frame	19.00
L-4-3D	4' High x 3' Wide Ladder Frame	26.00
L-5-2D	5' High x 2' Wide Ladder Frame	24.00
L-5-3D	5' High x 3' Wide Ladder Frame	32.00
L-6-2D	6' High x 2' Wide Ladder Frame	28.00
L-6-3D	6' High x 3' Wide Ladder Frame	38.00

Cross Braces



7-HL

Heavy duty, double hole, angle cross brace for use with 3' and higher Unibilt Frames.

Part I.D.	Product Description	Weight
4-HL	4' Long x 3' 6" x 2' Double Hole Angle Iron Brace	10.00
5-HL	5' Long x 3' 6" x 2' Double Hole Angle Iron Brace	11.00
7-HL	7' Long x 3' 6" x 2' Double Hole Angle Iron Brace	14.00
8-HL	8' Long x 3' 6" x 2' Double Hole Angle Iron Brace	17.00
10-HL	10' Long x 3' 6" x 2' Double Hole Angle Iron Brace	19.00

Safety Rails/Guard Posts/End Gates




UGP-DA

Provides a safe, strong rail parallel with the scaffolding spans.


Part I.D.	Product Description	Weight
2-S	2' Galvanized Tubular Safety Rail	2.00
3-S	3' Galvanized Tubular Safety Rail	3.00
4-S	4' Galvanized Tubular Safety Rail	4.00
5-S	5' Galvanized Tubular Safety Rail	5.00
7-S	7' Galvanized Tubular Safety Rail	6.00
8-S	8' Galvanized Tubular Safety Rail	7.00
10-S	10' Galvanized Tubular Safety Rail	9.00
UGP-DA	Guard Post	6.00
EG-50D	End Guard Rail Panel	16.00
UBGR22DA	22" End Side Bracket Guard Rail	19.00



7-S



EG-50D




UBGR22DA



Frame Scaffolding

Universal Line

Brackets




SBA-22P

Durable angle iron bracket with guard post adapter already attached.

Part I.D.	Product Description	Weight
SBA-22P	22" Side Bracket	12.00
SBAE-22P	22" End Bracket	12.00


Putlog and Putlog Accessories



PSW-HC


PSW PUTLOG: Used to connect two rows of scaffolds spanning obstruction and provide a working platform at the top of scaffolds, eliminating rows of frames.

PSW-HC PUTLOG HANGER: A rigid support that allows putlogs to run in either direction. Safely attaches without bolts or tools. Hooks over coupling pins and rests on frame girt. Two required per putlog.




PSW-HS

PSW-HS: Same function as PSW-HC but sits directly into frame leg, eliminating the frame coupling pin. Two required per putlog.



PPS-80

PPS-80 FRAME SUPPORT: Locks over putlogs to erect panels above spans.



PPS-120

PPS-120 OFFSET FRAME SUPPORT: Locks over putlogs and provides support for frames positioned in exact alignment with tower frames.

Part I.D.	Product Description	Weight
PSW-12	12' Putlog	39.00
PSW-15	15' Putlog	69.00
PSW-22	22' Putlog	116.00
PSW-33	33' Putlog	174.00
PSW-HS	Putlog Hanger	6.00
PSW-HC	Putlog Hanger	5.00
PPS-80	Frame Support	4.00
PPS-120	Offset Frame Support	4.50



PSW-12




PSW-22



PSW-33

Casters



F-8R

STEM TYPE: F-8R Caster mounts directly to scaffold leg or to U12AL adjustable base stem. Rubber tire with foot-activated pressure lock, locking swivel and roll simultaneously. No base required.

PLATE TYPE: P-12R Caster attaches to S-20 plain base. Rubber tire with foot-activated pressure lock.



P-12R

Part I.D.	Product Description	Weight
F-8R	8" Swivel Locking Caster	12.50
P-12R	12" Plate Wheel Lock	38.00

Bases



U14AB



U12AL




S-20U

U12AL ADJUSTABLE BASE STEM: Provides up to a 12" adjustment to level scaffold at base. Requires stem-type caster or S-20 base when used at base of scaffold.


S-20U PLAIN BASE: Converts U12AL adjustable base stem into an adjustable base. Fits into leg of frame to provide bearing on floor or mud sill.

Part I.D.	Product Description	Weight
U14AB	Adjustable Screw Jack	10.00
U12AL	Adjustable Screw Leg with Socket	13.00
S-20U	Base Plate	2.00

Plank




EAP-70



AP-70

Part I.D.	Product Description	Weight
EAP-70	7' Long x 19" Wide Aluminum Plank	30.00
EAP-100	10' Long x 19" Wide Aluminum Plank	41.00
AP-70	7' Long x 19" Wide Aluminum/Plywood Plank	27.00
AP-100	10' Long x 19" Wide Aluminum/Plywood Plank	43.00

Plan Brace




UPB5070

Squares scaffold section and provides diagonal bracing in the Horizontal Plan Brace. Required for all rolling towers.

Part I.D.	Product Description	Weight
UPB5070	5' x 7' Horizontal Plan Brace	20.5

Clamp-on Outrigger



AO-26

Clamps to any panel for additional base width with added stability.

Part I.D.	Product Description	Weight
AO-26	2' 6" Outrigger	13.50

Adjustable Wall Tie



U48WT

Quickly secures scaffold to building structure.

Part I.D.	Product Description	Weight
U48WT	4' Adjustable Wall Tie	5.00




Frame Scaffolding

Universal Line

Stairs


Internal units providing safe, easy access to work areas.



Part I.D.	Product Description	Weight
SU-66	6' 6" Stair Unit	136.00
IH-66	Inside Hand Rail	13.00
OH-66	Outside Hand Rail	17.00
AG-SU	Start Unit Starter Girt	8.00

Coupling Pins/Accessories

Replacement parts for scaffold panels.




Part I.D.	Product Description	Weight
CP-63	Coupling Pin	1.00
UBL-S	Replacement Stud	0.25
UHP	Hinge Pin	0.25
PTP	Pig Tail Pin	0.25




Ladders

Provides continuous, easy climbing to scaffold deck. Bracket attaches ladder to scaffold.




Part I.D.	Product Description	Weight
U-SAU3	3' Clamp-on Ladder	10.00
U-SAU6	6' Clamp-on Ladder	21.00
U-Saub	Ladder Bracket	6.00

Ezebilt Frames



Same high strength tubing as Unibilt Scaffold. Ezebilt offers the famous "Universal Swivel Action" to allow the scaffold to conform to round or curved surfaces. Steel sleeves for the cross braces provide extra strength and reduce the number of cross braces needed. Uses the same accessories as Unibilt Frame Scaffold.

Mason Frame




SU-5-5D

Our extra strong, dependable frame scaffolding provides four plank bearing levels with large open bays to facilitate materials and equipment.

Part I.D.	Product Description	Weight
SU-5-5D	5' High x 5' Wide Mason Frame	40.00

Cross Braces



SS-7X

Heavy duty Ezebilt cross brace.

Part I.D.	Product Description	Weight
SS-7X	7' Tubular Cross Brace	7.50

Guard Post/Guard Rails



SP-3X

Provides a safe, strong rail parallel with the scaffolding spans.

Part I.D.	Product Description	Weight
SP-3X	Guard Post	6.50
SR-7	7' Tubular Guard Rail	7.00
SG-5S	5' Tubular End Guard Rail	5.00



SR-7



SG-5S




Frame Scaffolding

Black Line

Black Line

An economical resale scaffold developed exclusively for Universal Manufacturing to meet or exceed all testing parameters.

Mason Frame




U505MAS

Part I.D.
U505MAS

Product Description
5' High x 5' Wide Mason Frame

Weight
39.00

Walkthru Frame




U645WAS

Part I.D.
U645WAS

Product Description
6' 4" High x 5' Wide Walkthru Frame

Weight
46.00

Cross Braces




CB74

Part I.D.
CB44
CB54
CB74
CB84
CB104

Product Description
4' Long x 4' Tubular Galvanized Crossbrace
5' Long x 4' Tubular Galvanized Crossbrace
7' Long x 4' Tubular Galvanized Crossbrace
8' Long x 4' Tubular Galvanized Crossbrace
10' Long x 4' Tubular Galvanized Crossbrace

Weight
8.00
10.00
12.00
14.00
16.50

Side Bracket




SBA20M

Part I.D.
SBA20M

Product Description
20" Tubular Side Bracket

Weight
9.00

Bases




U14AB

Provides 12" of adjustment for leveling the scaffold. Fits directly into frame leg of scaffold.

Part I.D.	Product Description	Weight
U14AB	Screw Jack	10.00

Caster



MAC

Part I.D.	Product Description	Weight
MAC	8" Swivel Locking Caster	13.00


Guard Post/Safety Rails



UGPB

Part I.D.	Product Description	Weight
UGPB	Guard Post	6.00
4-S	4' Safety Rail	3.50
5-S	5' Safety Rail	4.00
6-S	6' Safety Rail	5.00
7-S	7' Safety Rail	6.00
8-S	8' Safety Rail	7.00
10-S	10' Safety Rail	9.00

Plank



EAP-70

Part I.D.	Product Description	Weight
EAP-70	7' Aluminum Plank	30.00
EAP-100	10' Aluminum Plank	41.00

Coupling Pin/Spring Clip



CP-01



VP-01


Part I.D.	Product Description	Weight
CP-01	Coupling Pin	1.00
VP-01	Spring Clip	0.25



Frame Scaffolding

Red Line

Mason Frames



Part I.D.	Product Description	Weight
U-0153-00	3' 1" High x 5' Wide Mason Frame	30.00
U-0154-02	4' 1" High x 5' Wide Mason Frame	35.00
U-0154-62	4' 7" High x 5' Wide Mason Frame	37.00
U-0155-00	5' 1" High x 5' Wide Mason Frame	42.00
U-0156-02	6' 7" High x 5' Wide Mason Frame	47.50

Cross Braces






Durable, double-holed angle iron cross braces for use with 3' and higher Red Line Frames and Shoring.

Part I.D.	Product Description	Weight
5-HLS	5' Long x 4' x 3' Double Hole Angle Iron Cross Brace	13.10
7-HLS	7' Long x 4' x 3' Double Hole Angle Iron Cross Brace	16.75
8-HLS	8' Long x 4' x 3' Double Hole Angle Iron Cross Brace	18.40
10-HLS	10' Long x 4' x 3' Double Hole Angle Iron Cross Brace	22.00

Walkthru Frames

Part I.D.	Product Description	Weight
U-0156-05	6' 7" High x 5' Wide Walkthru Frame	48.00
U-0156-06	6' 7" High x 5' Wide Walkthru Frame	48.50
U-0156-07	6' 7" High x 5' Wide Walkthru Frame	56.50



Bases



U14AB



U-0300-00

Part I.D.
U14AB
U-0300-00

Product Description
14" Adjustable Screw Jack
Base Plate

Weight
10.00
1.80

Guard Post



U-0320-00

Provides a safe, strong rail parallel with the scaffolding spans.

Part I.D.
U-0320-00

Product Description
Guard Post

Weight
8.00

Side Bracket



U-0332-20

Part I.D.
U-0332-20

Product Description
Side Bracket

Weight
12.00

Stairs



SU-67

Part I.D.
SU-67
IH-67
OH-67
AG-SU

Product Description
6' 6" Stair Unit
Inside Hand Rail
Outside Hand Rail
Start Unit Starter Girt

Weight
136.00
13.00
17.00
8.00

Coupling Pin/Spring Clip



CP-02



VP-01

Part I.D.
CP-02
VP-01

Product Description
Coupling Pin
Spring Clip

Weight
1.00
0.25




Frame Scaffolding

Master Line

Master Line

All Master Line Frames are manufactured with Quick Locks, unless specified otherwise, and located 8.5" from the top of the frame. Non-standard stud spacing must be specified. Available in a variety of colors. Coupling pins are sold separately.


Mason Frames




MM5

Part I.D.	Product Description	Weight
MM3	3' High x 5' Wide Mason Frame	27.00
MM4	4' High x 5' Wide Mason Frame	34.00
MM5	5' High x 5' Wide Mason Frame	37.00
MM64	6' 4" High x 5' Wide Mason Frame	43.00

Walkthru Frames



MW3664



MW64

Part I.D.	Product Description	Weight
MW3664	6' 4" High x 3' 6" Wide Walkthru Frame	39.00
MW64	6' 4" High x 5' Wide Walkthru Frame	43.00

Ladder Frames



ML5

Part I.D.	Product Description	Weight
ML26	2' 6" High x 3' 6" Wide Ladder Frame	19.60
ML39	3' 9" High x 3' 6" Wide Ladder Frame	29.10
ML5	5' High x 3' 6" Wide Ladder Frame	38.60
ML64	6' 4" High x 3' 6" Wide Ladder Frame	48.50

Bases



U14AB



MAL



MB

Part I.D.	Product Description	Weight
U14AB	Adjustable Screw Jack	10.00
MAL	Adjustable Screw Leg with Socket	14.20
MB	Base Plate	3.00


Caster



MAC

Part I.D.	Product Description	Weight
MAC	8" Swivel Locking Caster	13.80

Side Brackets




MSB20

Part I.D.
MSB20

Product Description
20" Tubular Side Bracket

Weight
8.50

Cross Braces



CB74

Part I.D.	Product Description	Weight
CB42	4' Long x 2' Tubular Galvanized Crossbrace	8.00
CB44	4' Long x 4' Tubular Galvanized Crossbrace	8.50
CB52	5' Long x 2' Tubular Galvanized Crossbrace	9.50
CB54	5' Long x 4' Tubular Galvanized Crossbrace	10.00
CB72	7' Long x 2' Tubular Galvanized Crossbrace	11.50
CB74	7' Long x 4' Tubular Galvanized Crossbrace	12.00
CB82	8' Long x 2' Tubular Galvanized Crossbrace	13.00
CB84	8' Long x 4' Tubular Galvanized Crossbrace	14.00
CB102	10' Long x 2' Tubular Galvanized Crossbrace	15.25
CB104	10' Long x 4' Tubular Galvanized Crossbrace	16.50

Guard Post




MGCF

Part I.D.
MGCF

Product Description
Female Guard Post

Weight
9.20

Stairs



MSIR64

MSOR64

MS64

Part I.D.	Product Description	Weight
MS64	6' 4" Stair Unit	74.00
MSIR64	6' 4" Inside Hand Rail	18.50
MSOR64	6' 4" Outside Hand Rail	30.00

Coupling Pin/Spring Clip



CP-01



VP-01

Part I.D.
CP-01
VP-01


Product Description
Coupling Pin
Spring Clip

Weight
1.25
0.25



System Scaffolding

System Line




The Universal System Scaffold Rosette provides total flexibility to lock in any angle plus quickly and accurately align at 90° angles using the keyhole positions. Each Rosette can have up to eight connections at one time.

System Scaffolding Advantages:

- Hot-dipped galvanized
- No bolts or screws
- Pre-measured components/ No measurements needed
- Erects efficiently
- Conforms to any angle or curve
- Rigid, versatile and very safe
- Can be used in conjunction with Tube and Clamp

Standard



Part No.	Height	Weight
US17T (Topping Off Column)	1' 7"	6.0 lbs
US17 (1 Rosette)	1' 7"	6.0 lbs
US33 (2 Rosettes)	3' 3"	11.9 lbs
US411 (3 Rosettes)	4' 11"	18.0 lbs
US66 (4 Rosettes)	6' 6"	21.0 lbs
US99 (6 Rosettes)	9' 9"	30.2 lbs


Horizontal



Part No.	Length	Weight
UH20 (Blank)	2'	6.0 lbs
UH30 (Yellow)	3'	8.3 lbs
UH36 (Black)	3' 6"	9.4 lbs
UH40 (Orange)	4'	10.5 lbs
UH50 (Brown)	5'	12.8 lbs


Part No.	Length	Weight
UH60 (Blue)	6'	15.0 lbs
UH70 (Blank)	7'	17.3 lbs
UH80 (Green)	8'	19.5 lbs
UH100 (Red)	10'	24.0 lbs

Horizontal Truss




Part No.	Length	Weight
UHT50 (Brown)	5'	15.6 lbs
UHT60 (Blue)	6'	18.5 lbs
UHT70 (Blank)	7'	24.5 lbs
UHT80 (Green)	8'	36.8 lbs
UHT100 (Red)	10'	39.6 lbs

Truss




Part No.	Length	Weight
UT12	12'	81.0 lbs
UT14	14'	106.0 lbs
UT16	16'	106.0 lbs
UT20	20'	135.0 lbs

Ladders



Part No.	Length	Weight
U-SAUB	Ladder Bracket	5.5 lbs
U-SAU3	3' Ladder Section	9.0 lbs
U-SAU6	6' Ladder Section	17.0 lbs

Stairs




*Also Available in 1-8 Step

Part No.	Description	Weight
USSL70	7' Left Stair Stringer	49.0 lbs
USSR70	7' Right Stair Stringer	49.0 lbs
USTL	Left Starter Stair Stringer	26.0 lbs
USTR	Right Starter Stair Stringer	26.0 lbs


Part No.	Description	Weight
UST26	2' 6" Tread (Use in 3' 6" Bay)	11.5 lbs
UST30	3' Tread (Use in 4' Bay)	13.8 lbs
UST40	4' Tread (Use in 5' Bay)	18.0 lbs

Truss Plank Support




Part No.	Length	Weight
UTPS20	2'	15.1 lbs
UTPS30	3'	17.6 lbs
UTPS36	3' 6"	19.0 lbs
UTPS40	4'	19.9 lbs
UTPS50	5'	22.3 lbs

Truss Adapters




Part No.	Description	Weight
UCCS	Clamp on Column Support	3.0 lbs
USTA	Truss Adapter	3.5 lbs
UHTCS	Truss Column Saddle	7.0 lbs

Casters & Caster Adapters




Part No.	Description	Weight
UCBC	Caster Base Collar	7.0 lbs
F-8R	8" Pin Type Caster	13.0 lbs
US12CA	12" Caster Adapter	8.5 lbs
P-12R	12" Plate Type Caster	38.0 lbs




The high-strength Mouthpiece uses a Wedge Pin with a reverse slope. The Wedge Pin engages the Rosette entirely through its vertical surface, ensuring a properly seated Mouthpiece on the Rosette while the Wedge is in place. The lobes are reversed to dramatically increase the compression area of the Mouthpiece connector. This provides greater mass area at the bottom of the Mouthpiece.

Diagonal




Part No.	Bay Size	Weight
UD20 (Blank)	2'	16.9 lbs
UD30 (Yellow)	3'	16.9 lbs
UD36 (Black)	3' 6"	17.3 lbs
UD40 (Orange)	4'	17.6 lbs
UD50 (Brown)	5'	18.6 lbs
UD60 (Blue)	6'	19.7 lbs
UD70 (Blank)	7'	21.5 lbs
UD80 (Green)	8'	22.2 lbs
UD100 (Red)	10'	25.0 lbs

Side Brackets



Part No.	Length	Weight
USB20	2'	14.0 lbs
USB30	3'	21.0 lbs
USB36	3' 6"	31.0 lbs

Board Brackets



Part No.	Length	Weight
UBB010	10"	3.1 lbs
UBB010CO	10"	3.1 lbs
UBB18	1' 8"	8.0 lbs
UBB27	2' 7"	12.5 lbs


Low Profile Steel Plank



Part No.	Length	Weight
USP20ADG	2'	10.9 lbs
USP30ADG	3'	15.0 lbs
USP36ADG	3' 6"	17.0 lbs
USP40ADG	4'	19.3 lbs
USP50ADG	5'	23.0 lbs
USP60ADG	6'	27.0 lbs
USP70ADG	7'	32.0 lbs
USP80ADG	8'	35.0 lbs
USP100ADG	10'	44.0 lbs

*All Sizes Available in 6" Wide Plank

Scaffold Rack



Part No.	Description	Weight
U-SR-CS	Scaffold Rack	116.0 lbs

Hoist



Part No.	Description	Weight
USH-T	System Hoist Top	10.0 lbs
USH-B	System Hoist Bottom	15.0 lbs
HAW-12	Hoist Arm Wheel	16.5 lbs

Plan Braces



Part No.	Bay Size	Weight
UPB3670	3' 6" x 7'	19 lbs
UPB4070	4' x 7'	19.8 lbs
UPB5070	5' x 7'	20.5 lbs


*Call for additional sizes.

Base Collar



Part No.	Description	Weight
UBC	Base Collar	3.5 lbs
UBCB	Base Collar with Bushing	6.0 lbs

Adjustable Base



Part No.	Description	Weight
USJ20	Screw Jack	13.8 lbs
USSJ20	Swivel Screw Jack	15.0 lbs



Shoring

Shoring Line




UNIVERSAL Shoring


Shoring

Universal Manufacturing produces 20K and 30K frames and custom fabricated products to match your existing inventory. Our high-strength American-made shoring has a durable electrostatic powder-coat finish. A complete line of accessories, engineering and computer aided drafting services are available. Frame specifications and load data are also available to complete all of your shoring needs.

Shoring Frames




U10103



U10107


Part I.D.	Product Description	Weight
U10102	2' Wide x 4' High Shore Frame	37.00
U10103	2' Wide x 5' High Shore Frame	45.00
U10104	2' Wide x 6' High Shore Frame	58.00
U10106	4' Wide x 4' High Shore Frame	46.00
U10107	4' Wide x 5' High Shore Frame	54.00

Bases & U-heads & Accessories




USHSJ36


Part I.D.	Product Description	Weight
USHSJ36	36" Adjustable Screw Jack	10.50
USHCP	Coupling Pin	2.00
USHRH	Rivet & 3" Hitch Pin	2.00
USH88PHSJ	8" x 8" Plate Head	8.00
SH-BP	7" x 9" Base Plate	7.00
SH-UH	8" x 8" U-Head	10.00




USHCP




USHRH



USH88PHSJ




SH-BP



SH-UH

Cross Braces







7-HLS

Part I.D.	Product Description	Weight
4-HLS	4' Long x 4' x 3' Dbl. Hole Angle Iron Cross Brace	10.00
5-HLS	5' Long x 4' x 3' Dbl. Hole Angle Iron Cross Brace	13.10
7-HLS	7' Long x 4' x 3' Dbl. Hole Angle Iron Cross Brace	16.75
8-HLS	8' Long x 4' x 3' Dbl. Hole Angle Iron Cross Brace	18.40
10-HLS	10' Long x 4' x 3' Dbl. Hole Angle Iron Cross Brace	22.00



Endlok Scaffolding

Scaffold Tube

	Part I.D.	Product Description	Weight
 TS-2-6	TS-2-4	4' Endlok Scaffold Tube	11.00
	TS-2-6	6' Endlok Scaffold Tube	14.00
 TS-2-8	TS-2-8	8' Endlok Scaffold Tube	18.00
	TS-2-10	10' Endlok Scaffold Tube	21.00
 TS-2-10	TS-2-13	13' Endlok Scaffold Tube	27.00
	TS-2-16	16' Endlok Scaffold Tube	34.00
 TS-2-13	TS-2-20	20' Endlok Scaffold Tube	40.00

Scaffold Rack



U-SR-CS

Part I.D.	Product Description	Weight
U-SR-CS	Scaffold Rack	103.00

Clamps



USC



UGC-S

Part I.D.	Product Description	Weight
URC	Rigid Dual Purpose Scaffold Clamp	4.00
USC	Swivel Dual Purpose Scaffold Clamp	4.00
UGC	Rigid Beam Clamp	3.50
UGC-S	Swivel Beam Clamp	2.00

Wrenches



UCW



UPW

Part I.D.	Product Description	Weight
UCW	Scaffold Wrench	2.00
UPW	Clamp Socket Wrench with Hammer	4.00


Base




MBP-1

Part I.D.	Product Description	Weight
MBP-1	Male Base Plate	5.00

Ladders



U-SAU3



U-Saub

Part I.D.	Product Description	Weight
U-SAU3	3' Clamp-on Ladder	10.00
U-SAU6	6' Clamp-on Ladder	21.00
U-Saub	Ladder Bracket	6.00

Mobile Scaffolding

Includes ladder panels, plywood decking, side rails and locking casters.
Outriggers and Guardrail/Toe Board attachments sold separately.

Part I.D.	Product Description	Weight
MOPL6	6' Long x 6' High x 29" Wide Mobile Scaffold.	155.00



U UNIVERSAL
MANUFACTURING

550 West New Castle St. • Zelienople, PA 16063 • universalscaffold.com

800-836-8780 Fax: 724-452-0576